

PRODUCT INFORMATION



Automotive Chemicals – Technical Sprays - Cleaning

Version: **TS/028**

Valvoline™ Airco Cleaner

High quality cleansing foam to condition the air-conditioning in the vehicles.

Applications

Air-conditioning

Product characteristics

Effective cleansing foam
Subtle scent
Optimizes the functioning of the air-conditioning
Prevents malfunction

Directions for use:

Before use, carefully read the directions on the packaging.

Valvoline™ Airco Cleaner should be at room temperature before use. The processing temperature should be between 5 to 30°C. Shake before use.

Before treatment, switch off the engine and electrical installations.

Apply the foam to the evaporator of the air conditioning by means of the enclosed adapter

Insert the adapter about 30 centimetres into the air inlet (please refer to the user manual of the vehicle for the location of the air inlet) of the air-conditioning and completely empty the can.

After applying, do not switch on the engine or the electrical installations for at least 30 minutes.

In these 30 minutes the foam will break and leave the system through the condensed water outlet as a fluid.

PRODUCT INFORMATION



Keeping the world moving since 1866™

Serving more than 100 countries around the globe, Valvoline is a leading marketer, distributor and producer of quality branded automotive and industrial products and services. Products include automotive lubricants; transmission fluids; gear oils; hydraulic lubricants; automotive chemicals; specialty products; greases, and cooling system products.

For more information on Valvoline products, programs and services please visit www.valvolineeurope.com

Typical properties

Typical property characteristics are based on current production. Whilst future production will conform to Valvoline specifications, variations in these characteristics may occur.

Valvoline™ Airco Cleaner	
Contents	500 ml
Basis	Tenside solution
VOC-content	Approx. 27% w/w
Appearance	White foam
Scent	Mint - Menthol
Relative density at 20°C	0,967 g/ml
Coverage	One (1) treatment
Vapour pressure at 20°C	3 to 4 bar
pH-value	10 -11

This information only applies to products manufactured in the following location(s): Europe

™ Trademark of Valvoline, registered in various countries © 2019

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Ellis Enterprises B.V. and its affiliates assume legal responsibility.

Health & Safety

This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained. Reference is made to the Safety Data Sheet (SDS) which is available on request via your local sales office or via the internet <http://sds.valvoline.com>

Protect the environment

Take used chemicals to an authorized collection point. Comply with local regulations. Do not discharge into drains, soil or water.

Storage

We recommend to store all packages under cover. In case outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should never be stored above 60°C, exposed to hot sun or freezing conditions.

Replaces – TS/027